



NUFARM AGRICULTURE INC.

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

SUPPLIED BY:

Nufarm Agriculture Inc.
5507 1st Street, SE
Calgary, AB T2H 1H9

Phone Number: (403)-253-8471

Fax Number: (403)-253-8478

MANUFACTURED BY:

Nufarm Agriculture Inc.
5507 1st Street, SE
Calgary, AB T2H 1H9

Phone Number: (403)-253-8471

Fax Number: (403)-253-8478

PRODUCT:**MCPA AMINE 600****PCP NUMBER:**

28384

DATE PREPARED:

September 15, 2006

PREPARER:

Brent R. McLennan

CHEMICAL FAMILY/USE:

Herbicide

FORMULA: $C_{11}H_{16}ClNO_3$ **CHEMICAL SYNONYMS:**

2-Methyl-4-chlorophenoxyacetic acid, dimethylamine salt; MCPA DMA

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients	Wt. %	CAS NO.
MCPA Dimethylamine salt	62-66	2039-46-5

Note: The other major ingredient in this product is water.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Severely irritating / corrosive to eyes. Harmful if absorbed through the skin. May be fatal if swallowed.

EFFECTS OF ACUTE EXPOSURE:

INGESTION: May cause headache, dizziness, nausea, vomiting, gastrointestinal irritation, weakness and central nervous system depression.

SKIN CONTACT: May be harmful if absorbed through skin. Causes slight skin irritation.

INHALATION: Contains materials that may be moderately toxic. Vapour could cause headache, nausea, dizziness and respiratory irritation if inhaled.



NUFARM AGRICULTURE INC.

EYE CONTACT: Causes severe eye irritation / corrosion. Causes redness and tearing.

MEDICAL CONDITIONS AGGRAVATED: Skin exposure may aggravate preexisting skin conditions. Inhalation of mist may aggravate preexisting respiratory conditions.

SUBCHRONIC (TARGET ORGAN) EFFECTS: (An adverse effect with symptoms that develop slowly over a long period of time): Repeated overexposure may cause effects to liver, kidneys, blood chemistry, testes and gross motor function. Rare cases of peripheral nerve damage have been reported, but extensive animal studies have failed to substantiate these observations, even at high doses for prolonged periods.

CHRONIC EFFECTS/CARCINOGENICITY: The International Agency for Research on Cancer (IARC) lists exposure to chlorophenoxy herbicides as a class 2B carcinogen, the category for limited evidence for carcinogenicity in humans. Newer rat and mouse lifetime feeding studies did not show carcinogenic potential for MCPA.

REPRODUCTIVE TOXICITY: Testicular effects and lower male fertility have been noted in animal studies.

DEVELOPMENTAL TOXICITY: MCPA studies in laboratory animals have shown decreased fetal body weights and delayed development in the offspring at doses toxic to mother animals.

GENOTOXICITY: There have been some positive and some negative studies, but the weight of evidence is that MCPA is not mutagenic.

PRINCIPLE ROUTES OF EXPOSURE: Eye contact. Skin absorption. Inhalation. Oral.

TOXICOLOGICALLY SYNERGISTIC MATERIALS: None known.

OTHER: None known.

4. FIRST AID MEASURES

INGESTION: If swallowed and victim is conscious, give two glasses of water to dilute stomach contents, and induce vomiting by touching the back of the throat. Never give anything by mouth to an unconscious person. Take patient to nearest hospital or contact poison control centre. Take container, label booklet or product name and Pest Control Product Registration Number with you when seeking medical attention.

SKIN: In case of contact, wash skin thoroughly with plenty of soap and water. Remove contaminated clothing and launder before reuse.

INHALATION: If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.

EYES: For eye contact, immediately flush eyes with plenty of water for at least 15 minutes. Hold eyelids apart to ensure rinsing of the entire eye surface and lids with water. Get immediate medical attention or contact poison control centre.

NOTE TO PHYSICIAN: No specific antidote. Treatment based on sound judgment of physician and individual reactions of patient.

5. FIRE FIGHTING MEASURES

FLASH POINT:No flash point.

CONDITIONS OF FLAMMABILITY:None.

FLAMMABLE LIMITS IN AIR - Upper (%):.....NAp

FLAMMABLE LIMITS IN AIR - Lower (%):.....NAp

AUTOIGNITION TEMPERATURE:NAp

SENSITIVITY TO MECHANICAL IMPACT (Y/N):.....NA. No sensitivity expected based on long handling history.

SENSITIVITY TO STATIC DISCHARGE:NA. No sensitivity expected based on long handling history.

EXTINGUISHING MEDIA: Water fog, alcohol foam, carbon dioxide, dry chemical.

SPECIAL FIREFIGHTING PROCEDURES: Firefighters should wear self-contained breathing apparatus and full protective



NUFARM AGRICULTURE INC.

clothing when fighting chemical fires. Minimize and contain water runoff.

6. ACCIDENTAL RELEASE MEASURES

ACTION TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Use safety equipment and procedures appropriate to the size of the spill. Keep unnecessary people away. Avoid runoff to natural waters and sewers. Surround and absorb spills with inert material such as perlite, sawdust, clay granules, vermiculite, sand or dirt. Contain all affected material in a closed, labeled container for proper disposal. Isolate from other waste materials. Clean contaminated area such as hard surfaces with detergent and water, collecting cleaning solution for proper disposal. Large spills to soil or similar surfaces may necessitate removal of top soil.

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep away from food and feed products. Keep from freezing. Store at temperatures above 0°C. If subjected to freezing temperatures, warm to at least 5°C and mix thoroughly. Avoid storage in close proximity to insecticides, fungicides, fertilizers and seeds. Avoid contact with eyes, skin and clothing.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE LIMITS:

Hazardous Ingredients	TWA	ACGIH TLV	STEL	Units
MCPA Dimethylamine salt	N/E	N/E	N/E	N/Ap

ENGINEERING CONTROLS: Use in a well ventilated area.

RESPIRATORY PROTECTION EQUIPMENT: Use an approved pesticide respirator if ventilation is not adequate or exposure to sprays, mists or vapours is likely.

PROTECTIVE GLOVES: Nitrile gloves.

EYE AND FACE PROTECTION: Goggles or face shield when handling concentrate.

OTHER PROTECTIVE EQUIPMENT: Long sleeved shirt, long pants, socks and shoes suggested as minimum work clothing. Use other equipment appropriate to specific situation.

VENTILATION: Use only in well ventilated area.

9. PHYSICAL AND CHEMICAL PROPERTIES

NOTE: Physical data are typical values, but may vary from sample to sample. A typical value should not be construed as a guaranteed analysis or as a specification.

BOILING POINT:NA. Expected to be similar to water: >100°C.

VAPOR PRESSURE:MCPA negligible. Product expected to be similar to water.

VAPOR DENSITY (air = 1):NA.

FREEZING POINT:NA. Expected to be similar to water: 0°C.

MELTING POINT:NA. MCPA technical 99-107°C.

PHYSICAL STATE:Liquid.



NUFARM AGRICULTURE INC.

ODOUR:Phenolic amine.
COLOUR:Brown.
ODOR THRESHOLD (ppm):NA.
EVAPORATION RATE (butyl acetate = 1):NA.
SPECIFIC GRAVITY (water = 1):1.14
DENSITY @ 25°C:1.14
pH:7.5 – 9.0
SOLUBILITY IN WATER (20°C):MCPA DMA: 866,000 mg/L. Product soluble.
COEFFICIENT OF WATER/OIL DISTRIBUTION:NA. Product water soluble.

10. STABILITY AND REACTIVITY

STABILITY: Stable.

HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS THERMAL DECOMPOSITION/COMBUSTION PRODUCTS: Hydrogen chloride, other chlorine compounds, carbon dioxide, carbon monoxide, oxides of nitrogen and other potentially toxic combustion products may be present.

INCOMPATIBILITY (MATERIALS TO AVOID): Avoid contact with strong acidic, basic or oxidizing agents.

CONDITIONS TO AVOID: None known.

11. TOXICOLOGICAL INFORMATION

Data are from laboratory studies conducted on similar MCPA DMA products:

ACUTE ORAL LD₅₀ (mg/kg):900 to 1400 (Rat, combined male/female)

ACUTE DERMAL LD₅₀ (mg/kg):> 2000 (Rabbit)

ACUTE INHALATION LC₅₀ (mg/l):> 4.72 (Rat, 4-hour, whole body exposure)

OTHER: Tested as slightly irritating to the skin (Rabbit) and severely irritating / corrosive to the eye (Rabbit).

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION:

Data are from studies conducted on similar MCPA DMA products:

96-HOUR LC₅₀ (mg/L): 230 (Rainbow Trout)

96-HOUR LC₅₀ (mg/L): > 310 (Bluegill)

48-HOUR EC₅₀ (mg/L): 190 (Daphnia)

ORAL LD₅₀ (mg/kg): 390 (Bobwhite Quail)

DIETARY LC₅₀ (ppm): > 5620 (Mallard Duck)

CHEMICAL FATE INFORMATION: MCPA DMA rapidly dissociates to parent MCPA in the environment. In soil, MCPA is microbially degraded with typical half-life of approximately 10 to 14 days.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Disposal should be made in accordance with federal, provincial and local regulations. Contact the manufacturer



NUFARM AGRICULTURE INC.

and the provincial regulatory agency in case of a spill, and for clean up of spills.

Do not reuse container for any purpose. If applicable, return container in accordance with return program. If a recyclable container, dispose of at a container collection site. Contact local distributor, dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site, triple or pressure rinse the empty container adding rinsings to spray tank, and make container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

14. TRANSPORT INFORMATION

CANADIAN TDG DESCRIPTION (Road & Rail): Not dangerous for transport by road/rail in Canada.

UN/NA NUMBER: None.

PLACARDS: None.

IATA: Not regulated for transportation.

IMO IMDG CODE: None.

15. REGULATORY INFORMATION

WHMIS HAZARD CLASS: D2B Toxic Material

WHMIS TRADE SECRET: Exempt. (This product is regulated under the Pest Control Products Act - WHMIS exempt.)

CANADIAN INVENTORY: This product is currently exempt from CEPA.

HAZARD RATING SYSTEMS

HMIS: Not Available

National Fire Protection Association (NFPA®) Hazard Ratings:

Ratings for This Product		Key to Ratings	
2	Health Hazard	0	Minimal
1	Flammability	1	Slight
0	Instability	2	Moderate
		3	Serious
		4	Severe

16. OTHER INFORMATION

REVISIONS:

The following has been revised since the last issue of this MSDS: New.

ADDITIONAL INFORMATION:

Abbreviations used throughout the MSDS are: NA = Not available
NAp = Not applicable
N/E = None Established.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.



NUFARM AGRICULTURE INC.

Company references utilized in preparation of the MSDS.

*****END OF MSDS*****